

Message

---

**From:** McDowell, Joseph [McDowell.Joseph@epa.gov]  
**Sent:** 5/24/2021 5:41:13 PM  
**To:** Mroz, Aaron [mroz.aaron@epa.gov]  
**CC:** Taylor, Daniel [taylor.daniel@epa.gov]  
**Subject:** RE: Remedial PFAS Update - 25 May 2021

Looks good to me; thx

Joseph McDowell  
Senior Remedial Project Manager  
US EPA Region 3 (3SD20)  
Site Remediation Branch  
Superfund & Emergency Management Division  
1650 Arch Street  
Philadelphia, PA 19103  
Office - (215) 814-3192  
Fax - (215) 814-3002  
Email: [mcdowell.joseph@epa.gov](mailto:mcdowell.joseph@epa.gov)

---

**From:** Mroz, Aaron <mroz.aaron@epa.gov>  
**Sent:** Monday, May 24, 2021 1:33 PM  
**To:** McDowell, Joseph <McDowell.Joseph@epa.gov>  
**Cc:** Taylor, Daniel <taylor.daniel@epa.gov>  
**Subject:** Remedial PFAS Update - 25 May 2021

Joe,

The Remedial update for tomorrow's PFAS meeting is below. The only changes to the updates are for Nonresponsive based on revised scope and Blades. Also, I updated the R3 database for Blades and figure I will update it for Boarhead Farms once the site team completes their review of the Tech Memo to determine if additional sampling is warranted. Let me know if you have any comments.

## Nonresponsive based on revised scope

## Nonresponsive based on revised scope

**Blades:** Removal FSP for sampling the newly installed monitoring wells was approved and sampling occurred April 27<sup>th</sup> and 28<sup>th</sup>. After data validation, EPA will receive results. The consult with OSTRI and OEM for residential well sampling occurred on May 20<sup>th</sup> and OSTRI and OEM has given the approval to proceed. The QAPP to perform the residential well sampling is being approved. Next step for the residential well sampling will be the creation of a fact sheet to send out with the access agreements to each of the residents.

## Nonresponsive based on revised scope

# Nonresponsive based on revised scope

Thanks,  
Aaron Mroz  
Remedial Project Manager  
Environmental Protection Agency, Region III  
1650 Arch Street  
Philadelphia, PA 19103-2029  
Mail code: 3SD22  
phone 215-814-3172  
[mroz.aaron@epa.gov](mailto:mroz.aaron@epa.gov)